

TOMUS XXXI.

<i>Peltonen J. and Vartiala M.: An agent based architecture style for application integration</i>	3
<i>Systä T. and Hartikainen M.: Towards a profile-based approach to manage SOA-to-SOA integration challenges</i>	23
<i>Dražić G., Dobrić D., Radovanović M. and Ivanović M.: Reference extraction and coauthorship visualization of semi-structured bibliographic data</i>	43
<i>Preden J. and Helander J.: Context awaraness in distributed computing systems</i>	57
<i>Vesin B., Ivanović M. and Budimac Z.: Learning management system for programming in Java ...</i>	75
<i>Robotka Zs. and Zempléni A.: Image retrieval using Gaussian mixture models</i>	93
<i>Tejfel M., Kozsik T. and Horváth Z.: A semantic model for proving properties of clean I/O programs</i>	107
<i>Dévai G. and Pataki N.: A tool for formally specifying the C++ standard template library</i>	147
<i>Fülöp L.J., Ilia Á., Végh Á.Z., Hegedűs P. and Ferenc R.: Comparing and evaluating design pattern miner tools</i>	167
<i>Pásztor Varga K. and Várterész M., Many-valued logic, mappings, ICF graphs, normal forms ...</i>	185
<i>Juhás M., Juhász Z., Samuelis L. and Szabó Cs.: Measuring the complexity of students' assignments</i>	202
<i>Ruff L.: Optimisation of bidirectional systolic arrays with sparse input by "folding"</i>	217
<i>Szilágyi Kocsisné Gy.: Learning of constraint logic programs by combining unfolding and slicing techniques</i>	235